



Pre	emium		Collections
Kit	chen	8	WK2
Fa	ucets	12	WK3
		13	WK4GB
		14	WK4
		15	WK5
		18	WK 9 Edge Sphere Curve
		23	WK 10
		24	WK 11
		25	WK 12
33	Accessories Soap Dispenser	28	WK 13 Edge Sphere Curve





### For the Heart of Your Home

The kitchen is where family gathers, meals are shared, and memories are made.



#### **Built to Last**

Each **Wasserwerk** faucet is made in Germany with cutting-edge technology. Our premium faucets are crafted with generations of expertise to ensure lasting beauty and performance.





Your **Wasserwerk** faucet will accompany you faithfully for many years. We highlight this with a 10-year warranty and a 15-year repurchase warranty on many spare parts such as cartridges, aerators, seals, hoses and much more.















#### WK 2 Pull-Down Faucet

## Practical cold-start function for energy saving Pull-down spout with 2 sprays

Specifications

Easy assembly due to central fixing nut


Flexible metal connection hoses approx. 800 mm


Low-noise, replaceable 25 mm ceramic cartridge

Brand name aerator for a perfect spray pattern

Connection type: High pressure


Swivel range: 360°





Soft-touch hose

Stylish design





















#### WK3 Pull-Down Faucet


### Specifications

Practical cold-start function for energy saving Adjustable scalding protection Pull-down spout with 2 sprays Easy assembly due to central fixing nut Flexible metal connection hoses approx. 500 mm Low-noise, replaceable 40 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK4GB Pull-Out Faucet

Sp	ecifications
I	Practical cold-start function for energy saving
,	Adjustable scalding protection
ı	Pull-out spout
ı	Easy assembly due to central fixing nut
ı	Flexible metal connection hoses approx. 500 mm
ı	Low-noise, replaceable 40 mm ceramic cartridge
ı	Brand name aerator for a perfect spray pattern
(	Connection type: High pressure
,	Swivel range: 360°
















#### WK4 Faucet


#### Specifications

Practical cold-start function for energy saving Adjustable scalding protection Easy assembly due to central fixing nut Flexible metal connection hoses approx. 500 mm Low-noise, replaceable 40 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK5 Faucet

Specifications		
F	Practical cold-start function for energy saving	
A	Adjustable scalding protection	
Е	asy assembly due to central fixing nut	
F	Elexible metal connection hoses approx. 500 mm	
L	ow-noise, replaceable 40 mm ceramic cartridge	
Е	Brand name aerator for a perfect spray pattern	
(	Connection type: High pressure	
S	Swivel range: 360°	



# Faucets for Every Kitchen

With a wide range of colors and finishes, our faucets add a personal touch to any kitchen.

Brushed Nickel, Matte Black, and Chrome are timeless favorites with classic appeal. Brushed Gold brings a touch of luxury and warmth to the room. Matte Graphite delivers a sleek, modern vibe that's currently on trend.

























#### WK 9 Edge Pull-Down Faucet

# Practical cold-start function for energy saving Pull-down spout with 2 sprays Easy assembly due to central fixing nut Flexible metal connection hoses approx. 800 mm Low-noise, replaceable 25 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK 9 Sphere Pull-Down Faucet

Spe	ecifications
Р	ractical cold-start function for energy saving
Р	ull-down spout with 2 sprays
Е	asy assembly due to central fixing nut
F	lexible metal connection hoses approx. 800 mm
L	ow-noise, replaceable 25 mm ceramic cartridge
В	rand name aerator for a perfect spray pattern
С	Connection type: High pressure
S	wivel range: 360°





### Smooth Water Flow

The durable, high-quality ceramic cartridge and anti-splash laminar spray mechanism ensure even, smooth water flows 2 to 3 times longer over time than competing faucets.





















#### WK 9 Curve Pull-Down Faucet

# Practical cold-start function for energy saving Pull-down spout with 2 sprays Easy assembly due to central fixing nut Flexible metal connection hoses approx. 800 mm Low-noise, replaceable 25 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK 10 Pull-Down Faucet

Р	ractical cold-start function for energy saving
Α	djustable scalding protection
Р	ull-down spout with 3 sprays
E	asy assembly due to central fixing nut
F	lexible metal connection hoses approx. 800 mm
L	ow-noise, replaceable 35 mm ceramic cartridge
В	rand name aerator for a perfect spray pattern
C	Connection type: High pressure
S	wivel range: 360°

























## WK 11 Pull-Out Faucet

# Practical cold-start function for energy saving Pull-out spout with 2 sprays Easy assembly due to central fixing nut Flexible metal connection hoses approx. 800 mm Low-noise, replaceable 25 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK 12 Pull-Down Faucet

pecifi	cations
Pract	ical cold-start function for energy saving
Pull-c	down spout with 2 sprays
Easy	assembly due to central fixing nut
Flexib	ole metal connection hoses approx. 800 mm
Low-	noise, replaceable 25 mm ceramic cartridge
Branc	d name aerator for a perfect spray pattern
Conn	ection type: High pressure
Swive	el range: 360°





Cold-start function

### **Space-Saving Design**

Perfect for space-confined sinks, the lever starts in the vertical position and only moves forward when adjusting the temperature.

Scalding protection

## Adjustable Scalding Protection

Several faucets have a high-quality cartridge with an adjustable temperature limiter. This reduces the risk of scalding and provides safety for the whole family.





















#### WK 13 Edge Pull-Down Faucet


# Practical cold-start function for energy saving Pull-down spout with 2 sprays Easy assembly due to central fixing nut Flexible metal connection hoses approx. 800 mm Low-noise, replaceable 25 mm ceramic cartridge Brand name aerator for a perfect spray pattern Connection type: High pressure Swivel range: 360°



#### WK 13 Sphere Pull-Down Faucet

pe	cifications
Pr	actical cold-start function for energy saving
Pu	III-down spout with 2 sprays
Ea	sy assembly due to central fixing nut
Fle	exible metal connection hoses approx. 800 mm
Lo	w-noise, replaceable 25 mm ceramic cartridge
Br	and name aerator for a perfect spray pattern
С	onnection type: High pressure
Sv	vivel range: 360°
















#### WK 13 Curve Pull-Down Faucet

Specifications	
Practical cold-start function for energy saving	
Pull-down spout with 2 sprays	
Easy assembly due to central fixing nut	
Flexible metal connection hoses approx. 800 mm	
Low-noise, replaceable 25 mm ceramic cartridge	
Brand name aerator for a perfect spray pattern	
Connection type: High pressure	
Swivel range: 360°	

















#### Soap Dispenser





#### **Wasserwerk**



W. Kirchhoff GmbH Hullerweg 1 49134 Wallenhorst Germany

wasserwerk.de info@wasserwerk.de

03/2025

